

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INTENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Alfamino Infant <i>Nestle (E)</i>	A nutritionally complete, hypoallergenic amino acid based infant formula.	PWD 14.1 oz	94 fl oz 1976 kcal		Standard mixing is 1 scoop with 1 oz of water
Alfamino Junior <i>Nestle (N)</i>	A nutritionally complete, hypoallergenic amino-acid formula for children ages 1-13.	PWD 14.1 oz	62 fl oz 1840 kcal		Standard mixing is 3 unpacked scoops with 2 ounces of water
BCAD 1 <i>Mead Johnston (E)</i>	An isoleucine-, leucine-and valine-free formula for the management of infants and toddlers with MSUD or other inborn errors of branched chain amino acid metabolism.	PWD 16 oz	114 fl oz 2280 kcal		
BCAD 2 <i>Mead Johnson (N)</i>	An isoleucine-, leucine- and valine-free medical food for children and adults with MSUD or other inborn errors of branched chain amino acid metabolism.	PWD 16 oz	62 fl oz 1860 kcal		
Benecalorie <i>Nestle (N)</i>	Highly concentrated source of calories and protein that mixes well into most food and beverages that is for cases of increased energy requirements, fluid-restriction, volume sensitivity, or malnutrition. Protein source is from dairy and product is not suitable for individuals with Galactosemia.	RTF 1.5 oz	11 fl oz 330 kcal		
Beneprotein <i>Nestle (N)</i>	For individuals who require additional protein to promote skin health, wound healing, immune response, and muscle strength.	PWD 8 oz	26 fl oz 800 kcal		1 container = 32 packets
Boost <i>Nestle (N)</i>	A supplement for individuals with involuntary weight loss or recovering from illness or surgery.	RTF 8 fl oz	8 fl oz	Strawberry Vanilla	
Boost Breeze <i>Nestle (N)</i>	Clear liquid oral nutrition supplement	RTF 8 fl oz	8 fl oz	Orange Peach Wild Berry Variety	
Boost Glucose Control <i>Nestle (N)</i>	A reduced-carbohydrate, modified-fat, fiber-containing supplement for individuals with glucose intolerance.	RTF 8 fl oz	8 fl oz	Vanilla	

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Boost High Protein <i>Nestle (N)</i>	A supplement for individuals with fractures, and who have or are at risk for pressure ulcers.	RTF 8 fl oz	8 fl oz	Vanilla	
Boost Kid Essentials 1.0 <i>Nestle (N)</i>	A supplement for children 1-10 who are undernourished due to injury, chronic illness or failure to thrive.	RTF 8 fl oz	8 fl oz	Chocolate Strawberry Vanilla	
Boost Kid Essentials 1.5 <i>Nestle (N)</i>	A supplement for children 1-10 who are undernourished due to injury, chronic illness or failure to thrive.	RTF 8 fl oz	8 fl oz	Chocolate Strawberry Vanilla	
Boost Kid Essentials 1.5 with Fiber <i>Nestle (N)</i>	A high fiber supplement for children 1-10 are undernourished due to injury, chronic illness or failure to thrive.	RTF 8 fl oz	8 fl oz	Vanilla	
Boost Pudding <i>Nestle (N)</i>	A supplement for individuals with fluid restriction, weight loss or swallowing impairments.	RTF 5 oz	5 oz	Chocolate Vanilla	Not eligible for OTM
Boost Plus <i>Nestle (N)</i>	A supplement for individuals with involuntary weight loss or recovering from illness or surgery.	RTF 8 fl oz	8 fl oz	Chocolate Very Vanilla	
Bright Beginnings Soy Pediatric Drink <i>PMB Products (N)</i>	A soy based supplement for children ages 1-10 who are allergic to cow's milk and undernourished due to illness, injury, or failure to thrive.	RTF 8 fl oz	8 fl oz	Vanilla	
Calcilo XD <i>Abbott (E)</i>	Low calcium, vitamin D free formula for infants with hypercalcemia, Williams's syndrome, osteoporosis, and primary neonatal hyperparathyroidism.	PWD 13.2 oz	96 fl oz 1923 kcal		
Citrulline 1000 Amino Acid Supplement <i>VitaFlo (N)</i>	Powdered citrulline amino acid supplement, with a carbohydrate base, for individuals over the age of 1	PWD 4 g	1 fl oz		
Compleat <i>Nestle (N)</i>	A tube feeding for individuals with intolerance to semi-synthetic formulas.	RTF 250 ml	8.45 fl oz		
Compleat Pediatric <i>Nestle (N)</i>	A tube feeding for children ages 1-10 with intolerance to semi-synthetic formulas.	RTF 250 ml	8.45 fl oz	Unflavored	

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Compleat Pediatric Peptide 1.5 <i>Nestle (N)</i>	Intended for the nutritional management of a variety of feeding issues, intolerance and/or mild malabsorption that are not resolved on standard tube feeding formulas in children 1-13 years. Plant-based, no dairy, soy, nut or other common food allergen; no corn ingredients. 40% of fat source as MCT to promote absorption and tolerance and Hydrolyzed pea protein. Contains soluble and insoluble fiber to help support digestive health and normal bowel function.	RTF 250 ml	8.45 fl oz	Unflavored	
Compleat Pediatric Reduced Calorie <i>Nestle (N)</i>	Reduced calorie enteral nutrition formula for pediatric patients with decreased caloric needs	RTF 250 ml	8.45 fl oz		
Complete Amino Acid Mix <i>Nutricia North America (N)</i>	A powdered mix of essential and non-essential amino acids specially formulated for use by individuals over the age of 1 year as a protein source when amino acids are required rather than whole protein or peptides.	PWD 7 oz	21 fl oz 656 kcal		
Complex Essential MSD Drink Mix <i>Nutricia North America (N)</i>	Indicated for the treatment of MSUD in patients ages 1 and older. Contains flax and soluble fiber	PWD 454 g	57 fl oz 1725 kcal		
COMPLEX MSD AA Blend <i>Nutricia North America (N)</i>	A valine-, leucine-, and isoleucine-free powdered medical food for the dietary management of Maple Syrup Urine Disease (MSUD) in children and adults.	PWD 454 g	48 fl oz 1466 kcal		
Complex Jr MSD Drink Mix <i>Nutricia North America (N)</i>	Pediatric formula indicated for the treatment of MSUD in children ages 1 and older	PWD 400 g	98 fl oz 1976 kcal		
Cyclinex-1 <i>Abbott (E)</i>	For infants and toddlers with a urea cycle disorder, gyrate atrophy of the choroid and retina, or HHH syndrome.	PWD 14.1 oz	102 fl oz 2040 kcal		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Cyclinex-2 <i>Abbott (N)</i>	For children and adults with a urea cycle disorder, gyrate atrophy of the choroid and retina, or HHH syndrome.	PWD 14.1 oz	58 fl oz 1760 kcal		
Diabetishield <i>Nestle (N)</i>	Clear liquid nutrition supplement for glucose intolerant individuals.	RTF 8 fl oz	8 fl oz		
Duocal <i>(Nutricia North America (N))</i>	A medical food providing fat and carbohydrate for increased caloric intake for children over the age of one year	PWD 14 oz	65 fl oz 1968 kcal		
EAA Supplement <i>Vitaflo (N)</i>	For the management of disorders of protein metabolism where essential amino acids are required. For the management of urea cycle disorders.	PWD 12.5 g	3.3 fl oz 36 kcal		
EleCare Infant DHA/ARA <i>Abbott (E)</i>	An elemental formula for infants who cannot tolerate intact or hydrolyzed protein, have severe food allergies, GI disorders/impairment, or other conditions in which an amino acid-based diet is required.	PWD 14.1 oz	95 fl oz 1900 kcal		
EleCare Jr <i>Abbott (N)</i>	An elemental formula for children age 1 year and older who have severe food allergies, GI disorders, impairment, or other conditions in which an amino acid-based diet is required	PWD 14.1 oz	64 fl oz 1860 kcal	Unflavored Vanilla	
			62 fl oz 1860 kcal	Chocolate Banana	
Enfamil EnfaCare <i>Mead Johnson (E)</i>	A 22 calorie/ounce formula for premature and low birth weight infants.	RTF 2 fl oz	2 fl oz		
		PWD 12.8 oz	82 fl oz 1800 kcal		
Enfamil Human Milk Fortifier <i>Mead Johnson (E)</i>	For premature and low-birth-weight infants as a nutritional supplement to add to preterm human milk.	PWD 0.71 g	1 fl oz 3.5 kcal		Only available for partially BF infants until 3 months of age
Enfamil Human Milk Fortifier- Acidified Liquid <i>Mead Johnson (E)</i>	Commercially sterile, milk-based nutritional supplement to expressed breast milk for premature or low-birth-weight Infants.	RTF 5 ml	4 fl oz 30 kcal		Only available for partially BF infants until 3 months of age

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Enfamil Nutramigen <i>Mead Johnson (E)</i>	Hypoallergenic, lactose, galactose, and fructose free formula for infants who are sensitive to intact protein in milk and soy based formulas	RTF 32 fl oz	32 fl oz		CAP ORDER only
		CONC 13 fl oz	26 fl oz 520 kcal		CAP ORDER only
Enfamil Nutramigen with Enflora LGG <i>Mead Johnson (E)</i>	Hypoallergenic, lactose, galactose, and fructose free formula that has added prebiotics for infants who are sensitive to intact protein in milk and soy based formulas.	PWD 12.6 oz	87 fl oz 1740 kcal		Scoop must be packed when measuring Mix with cool water only, do not warm or heat
Enfamil Nutramigen Toddler with Enflora LGG <i>Mead Johnson (E)</i>	An iron-fortified, lactose-free, hypoallergenic infant formula for the increased nutritional needs of older infants and toddlers who are allergic to the intact proteins in cow's milk and soy.	PWD 12.6 oz	86 fl oz 1720 kcal		Standard dilution is ONLY 20 kcal/oz
Enfamil Pregestimil <i>Mead Johnson (E)</i>	Lactose-free, sucrose-free, hypoallergenic infant formula. For infants with fat malabsorption and/or sensitive to intact proteins.	RTF 2 fl oz			
		PWD 16 oz	112 fl oz 2240 kcal		
Enfamil Pregestimil 24 <i>Mead Johnson (E)</i>	24 calorie Lactose-free, sucrose-free, hypoallergenic infant formula. For infants with fat malabsorption and/or sensitive to intact proteins.	RTF 2 fl oz			Can only be issued when RTF criteria has been met and when concentrating powder version is contraindicated
Enfamil Premature 20 <i>Mead Johnson (E)</i>	For the management of premature and low birth weight infants.	RTF 2 fl oz			Only available until 3 months of age For infants weighing less than 8 lbs.
Enfamil Premature 24 <i>Mead Johnson (E)</i>	For the management of premature and low birth weight infants.	RTF 2 fl oz	2 fl oz		Only available until 3 months of age For infants weighing less than 8 lbs.

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Enfamil Premature 30 <i>Mead Johnson (E)</i>	Milk-based infant formula for premature or low birth weight infants with increased levels of calcium, phosphorus and vitamin D.	RTF 2 fl oz	2 fl oz		Only available for partially BF infants until 3 months of age
Enfaport <i>Mead Johnson (E)</i>	A 30 calorie, milk-based formula for infants with chylothorax or LCHAD. Product has a 60:40 whey:casein protein blend.	RTF 6 fl oz	6 fl oz 180 kcal		Standard dilution is 30 kcal/oz
Ensure <i>Abbott (N)</i>	A supplement for individuals with involuntary weight loss, recovering from illness or surgery, or on low-residue diets.	RTF 8 fl oz	8 fl oz	Butter Pecan Chocolate Strawberry Vanilla	
Ensure Clear <i>Abbott (N)</i>	A clear liquid supplement that is fat-free and low-residue for individuals on a clear liquid diet or low fat diet or for management of fat-malabsorption.	RTF 8 fl oz	8 fl oz	Apple Berry	
Ensure High Protein <i>Abbott (N)</i>	A supplement for individuals recovering from general surgery, fractures and those who have or are at risk for pressure ulcers.	RTF 8 fl oz	8 fl oz	Vanilla	
Ensure Plus <i>Abbott (N)</i>	A supplement for individuals with involuntary weight loss illness or surgery recovery, or on low-residue diets	RTF 8 fl oz	8 fl oz	Vanilla Strawberry	
Ensure Powder <i>Abbott (N)</i>	A supplement for individuals with involuntary weight loss, recovering from illness or surgery, or on low-residue diets.	RTF 14 oz	58 fl oz 1741 kcal	Vanilla	
Ensure Pudding <i>Abbott (N)</i>	A supplement for individuals with fluid restriction, weight loss or swallowing impairments.	RTF 4 oz	4 oz	Chocolate Vanilla	Not eligible for OTM
Essential Amino Acid Mix <i>Nutricia North America (N)</i>	A vitamin, mineral and amino acid powder for older children and adults.	PWD 7 oz	21 fl oz 632 kcal		
FiberSource HN <i>Nestle (N)</i>	A high fiber, high protein tube feeding for extended use.	RTF 250 ml	8.45 fl oz		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
GA <i>Mead Johnson (N)</i>	Lysine- and tryptophan-free formula for infants, children, and adults with Glutaric Acidemia type I.	PWD 16 oz	76 fl oz 2280 kcal		
GA 1 Anamix Early Years <i>Nutricia North America (N)</i>	An amino acid based formula intended for the dietary management of proved Glutaric Aciduria type 1 for infants and for nutritional supplementation up to age 3.	PWD 14.1 oz	90 fl oz 1892 kcal		
Gerber Extensive HA <i>Nestle (E)</i>	An extensively hydrolyzed, 100% whey protein formula for infants that also contains probiotics and 49% MCT oil to facilitate fat absorption.	PWD 14.1 oz	96 fl oz 1920 kcal		
Glucerna <i>Abbott (N)</i>	A reduced-carbohydrate, modified-fat, fiber-containing supplement for individuals with glucose intolerance.	RTF 8 fl oz	8 fl oz	Vanilla	
GlutarAde GA-1 Amino Acid Blend <i>Nutricia North America (N)</i>	A precise mixture of essential and non-essential amino acids for the dietary management of Glutaric Aciduria (GA-1). This lysine free amino acid blend promotes flexibility in diet planning by providing a simple and convenient way to add amino acid protein to foods, beverages and other GA-1 formula.	PWD 16 oz	49 fl oz 1471 kcal		
GlutarAde Essential GA-1 <i>Nutricia North America (N)</i>	A lysine-free and low tryptophan powdered medical food for the dietary management of Glutaric Aciduria type 1 in children and adults.	PWD 454 g	90 fl oz 1748 kcal		
GlutarAde GA-1 Junior <i>Nutricia North America (N)</i>	Specially formulated for the dietary management of young children with Glutaric Aciduria Type 1.	PWD 14.1 oz	54 fl oz 1640 kcal		
Glutarex-1 <i>Abbott (E)</i>	Lysine- and tryptophan-free formula for infants and toddlers with Glutaric Aciduria type I.	PWD 14.1 oz	96 fl oz 1920 kcal		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Glutarex-2 <i>Abbott (N)</i>	Lysine- and tryptophan-free formula for children & adults with Glutaric Aciduria type I.	PWD 14.1 oz	54 fl oz 1640 kcal		
Glycosade <i>Vitaflo (N)</i>	For the use in the dietary management of Glycogen Storage Disease (GSD) and other metabolic conditions where the use of a long acting starch is indicated, from 2 years of age.	PWD 60 g	7 fl oz 214 kcal		
Glytactin BetterMilk 15 <i>Cambrooke (N)</i>	To be used as a formula or incorporated into a recipe for the dietary management of phenylketonuria (PKU). Provides 15 grams of Glytactin protein, blend of GMP and essential amino acids, 32 mg of DHA Omega-3 Fatty acids and probiotic cultures to support digestive health.	PWD 1.7 oz.	5 fl oz 160 kcal	Original	
Glytactin RTD 10 <i>Cambrooke (N)</i>	Ready-to-drink metabolic formula product for the dietary management of phenylketonuria (PKU) with 10 grams of protein per serving.	RTF 250 ml	8.45 fl oz 200 kcal	Chocolate Original	
Glytactin RTD 15 <i>Cambrooke (N)</i>	Ready-to-drink metabolic formula product for the dietary management of phenylketonuria (PKU) with 15 grams of protein per serving.	RTF 250 ml	8.45 fl oz 200 kcal	Chocolate Original	
Glytactin RTD 15 Lite <i>Cambrooke (N)</i>	Ready-to-drink metabolic formula product for the dietary management of phenylketonuria (PKU) with 15 grams of protein and 15 grams of PHE per serving.	RTF 250 ml	8.45 fl oz 120 kcal	Coffee Mocha Vanilla	
Glytrol <i>Nestle (N)</i>	A reduced-carbohydrate supplement for individuals with glucose intolerance.	RTF 250 ml	8.45 fl oz.		
HCU Anamix Early Years <i>Nutricia North America (N)</i>	An amino acid based formula indicated for the dietary management of B6 non-responsive homocystinuria or hypermethioninaemia.	PWD 14.1 oz	90 fl oz 1892 kcal		
HCU Anamix Next <i>Nutricia North America (N)</i>	Methionine-free formula for the dietary management of B6 non-responsive homocystinuria or hypermethioninaemia	PWD 14.1 oz	51 fl oz 1540 kcal		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INTENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
HCU Gel <i>Vitaflo (N)</i>	Methionine-free gel or drink for the management of homocystinuria in children ages 1 - 10 years.	PWD 24 g	2.7 fl oz 81 kcal	Unflavored	
HCU Express 15 <i>Vitaflo (N)</i>	Methionine-free protein substitute for the management of homocystinuria in individuals aged 8 years and older.	PWD 25 g	2.4 fl oz 74 kcal		
HCU Express 20 <i>Vitaflo (N)</i>	Methionine-free protein substitute for the management of homocystinuria in individuals aged 8 years and older.	PWD 34 g	3.3 fl oz 99 kcal		
HCU Cooler <i>Vitaflo (N)</i>	Methionine-free protein substitute for the management of homocystinuria in individuals aged 8 years and older.	RTF 300 ml	10 fl oz		
HCU Lophlex LQ <i>Nutricia North America (N)</i>	A methionine-free, ready-to-drink medical food containing amino acids, carbohydrates, vitamins, minerals and DHA, based on mixed fruit juices (from concentrate) with natural flavor; for the dietary management of proven homocystinuria in individuals 4 years and older, including pregnant women and women of child-bearing age.	RTF 4.2 fl oz	4.2 fl oz		
HCY 1 <i>Mead Johnson (E)</i>	Methionine-free formula for infants and toddlers with homocystinuria.	PWD 16 oz	114 fl oz 2280 kcal		
HCY 2 <i>Mead Johnson (N)</i>	Methionine-free medical food for children and adults with homocystinuria.	PWD 16 oz	62 fl oz 1860 kcal		
Hominex-1 <i>Abbott (E)</i>	Methionine-free formula for infants and toddlers with vitamin B6- nonresponsive homocystinuria.	PWD 14.1 oz	96 fl oz 1920 kcal		
Hominex-2 <i>Abbott (N)</i>	Methionine-free medical food for children and adults with vitamin B6- nonresponsive homocystinuria.	PWD 14.1 oz	54 fl oz 1640 kcal		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Isoleucine Amino Acid Supplement <i>VitaFlo (N)</i>	To be used in conjunction with a protein substitute for MSUD for individuals one year of age and older.	PWD 4 g	1 fl oz		
Isosource 1.5 <i>Nestle (N)</i>	A high-calorie, high-protein, fiber-containing tube feeding for individuals on fluid restriction or with increased caloric needs.	RTF 250 ml	8.45 fl oz		
Isosource HN <i>Nestle (N)</i>	A high protein tube feeding for individuals with malnutrition, inadequate oral intake or transitional feeding.	RTF 250 ml	8.45 fl oz		
IVA Anamix Early Years <i>Nutricia North America (N)</i>	An amino acid based formula indicated for the dietary management of isovalericacidemia	PWD 14.1 oz	90 fl oz 1892 kcal		
IVA Anamix Next <i>Nutricia North America (N)</i>	For the dietary management of isovalericacidemia in individuals over age 1.	PWD 14.1 oz	50 fl oz 1508 kcal		
I-Valex-1 <i>Abbott (E)</i>	Leucine-free formula for infants and toddlers with a disorder of leucine catabolism.	PWD 14.1 oz	96 fl oz 1920 kcal		
I-Valex-2 <i>Abbott (N)</i>	Leucine-free medical food for children and adults with a disorder of leucine catabolism.	PWD 14.1 oz	54 fl oz 1640 kcal		
Jevity 1.0 <i>Abbott (N)</i>	For long-term tube feeding and the management of diarrhea, constipation and wound healing.	RTF 8 fl oz	8 fl oz		
Jevity 1.2 <i>Abbott (N)</i>	For short and long-term tube feeding and the management of diarrhea, constipation, and wound healing.	RTF 8 fl oz	8 fl oz		
KetoCal 3:1 <i>Nutricia North America (N)</i>	A ketogenic formula for the management of epilepsy for children up to 8 years.	PWD 11 oz	69 fl oz 2097 kcal	Unflavored	
KetoCal 4:1 <i>Nutricia North America (N)</i>	A ketogenic formula for the management of epilepsy for individuals over one year.	PWD 11 oz	70 fl oz 2103 kcal	Vanilla	
KetoCal 4:1 LQ <i>Nutricia North America (N)</i>	A liquid ketogenic formula for the management of epilepsy for individuals over one year.	RTF 8 fl oz	8 fl oz 356 kcal	Unflavored Vanilla	

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Ketonex-1 <i>Abbott (E)</i>	Branched-chain amino acid-free formula for infants and toddlers with MSUD.	PWD 14.1 oz	96 fl oz 1920 kcal		
Ketonex-2 <i>Abbott (N)</i>	Branched-chain amino acid-free medical food for children and adults with MSUD.	PWD 14.1 oz	54 fl oz 1640 kcal		
KetoVie 3:1 <i>Cambrooke (N)</i>	A nutritionally complete whey-based ketogenic formula for patients over the age of one with higher protein than the 4:1 formulation. Used in the dietary management of intractable epilepsy and other disorders that require ketogenic therapy.	RTF 250 ml	8.45 fl oz 260 kcal	Unflavored	
KetoVie 4:1 <i>Cambrooke (N)</i>	A nutritionally complete whey-based ketogenic formula for patients over the age of one. Used in the dietary management of intractable epilepsy and other disorders that require ketogenic therapy.	RTF 250 ml	8.45 fl oz 390 kcal	Chocolate Vanilla	
KetoVie Peptide <i>Cambrooke (N)</i>	A nutritionally complete, partially hydrolyzed whey protein-based ketogenic formula with a 4:1 ratio for ages 1 year and up. Appropriate for individuals with impaired GI function and/or intolerance to intact proteins. Contains 14% of calories from MCT and DHA. Optimized for tube feeding and critical care patients requiring a ketogenic diet.	RTF 250 ml	8.45 fl oz		
L-Emental <i>Hormel Health Labs (N)</i>	A medical food containing arginine, zinc and vitamins C and E to assist in wound healing.	PWD 10.3 g	10 fl oz 300 kcal		
Lanaflex <i>Nutricia North America (N)</i>	Phenylalanine-free medical food for the management of PKU in individuals over 12 years of age who are no longer following a phenylalanine-restricted diet.	PWD 15.8 g	2 fl oz 40 kcal		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
LipiStart <i>Vitaflo (N)</i>	Nutritionally complete, low long-chain triglycerides & high medium-chain triglyceride formula for the dietary management of long-chain fatty acid oxidation disorders, fat malabsorption, and disorders requiring high MCT & low LCT in individuals over 1 year.	PWD 400 g	60 fl oz 1800 kcal	Unflavored	
Liquigen MCT <i>Nutricia North America (N)</i>	A high-energy MCT emulsion for conditions such as long-chain fatty acid oxidation disorders, Chylothorax, Fat malabsorption, and Short bowel syndrome that require dietary management which includes medium-chain triglycerides.	RTF 250 ml	37 fl oz 1125 kcal		
Lophlex <i>Nutricia North America (N)</i>	A low volume, phenylalanine-free, medical food for the management of PKU in individuals over 9 years of age.	PWD 14.3 g	2.5 fl oz 42 kcal		
LMD <i>Mead Johnson (N)</i>	Leucine-free formula for infants, children, and adults with disorders of leucine metabolism.	PWD 16 oz	76 fl oz 2280 kcal		
MCT Oil <i>Nestle (N)</i>	A modular source of medium chain triglycerides for individuals unable to digest or absorb conventional fats.	RTF 32 fl oz	32 fl oz 7255 kcal		
MCT ProCal <i>Vitaflo (N)</i>	Low long-chain triglycerides & high medium-chain triglyceride formula for the dietary management of long-chain fatty acid oxidation disorders, fat malabsorption, and disorders requiring high MCT & low LCT in individuals age 1 year and older.	PWD 16 g	3 fl oz 105 kcal	Unflavored	
Methionine Amino Acid Supplement <i>Vitaflo (N)</i>	Powdered Methionine amino acid supplement, with a carbohydrate base, for individuals over the age of 1.	PWD 4 g	1 fl oz		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Microlipid <i>Nestle (N)</i>	A modular source of fat for individuals with increased caloric requirements, decreased carbohydrate tolerance, fluid or volume restriction, or ketogenic diet.	RTF 3 oz	3 fl oz 399 kcal		
MMA/PA Anamix Early Years <i>Nutricia North America (N)</i>	An amino acid based formula indicated for the dietary management of Methylmalonic or Propionic Acidemia	PWD 14.1 oz	90 fl oz 1892 kcal		
MMA/PA Next <i>Nutricia North America (N)</i>	For the dietary management of Methylmalonic or Propionic Acidemia for individuals over the age of 1	PWD 14.1 oz	50 fl oz 1508 kcal		
MMA/ PA Cooler <i>Vitaflo (N)</i>	A ready to drink, methionine, threonine, valine free and low isoleucine protein substitute with DHA for use in the dietary management of Methylmalonic Acidemia (MMA) and Propionic Acidemia (PA) from 3 years of age.	RTF 130 ml	4.3 fl oz 103 kcal		
MMA/PA Gel <i>Vitaflo (N)</i>	Methionine-, threonine-, and valine-free and isoleucine-low protein substitute for the management of MMA and PA for children from 1 - 10 years of age.	PWD 24 g	2.7 fl oz 81 kcal	Unflavored	
MMA/PA Express <i>Vitaflo (N)</i>	Methionine-, threonine-, and valine-free and isoleucine-low protein substitute for the management of MMA and PA in individuals aged 8 years and older.	PWD 25 g	2.4 fl oz 74 kcal		
Monogen <i>Nutricia North America (N)</i>	A milk protein-based powder, low in fat, and high in medium chain triglycerides for the management of chylothorax and other lipid and lymphatic disorders for individuals over one year of age. Now contains DHA/ARA.	PWD 400 g	56 fl oz 1680 kcal		
MSUD Anamix Early Years <i>Nutricia North America (N)</i>	An amino acid based formula indicated for the dietary management of MSUD.	PWD 14.1 oz	90 fl oz 1892 kcal		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INTENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
MSUD Cooler 15 <i>Vitaflo (N)</i>	Leucine-, isoleucine-, and valine-free protein substitute for the management of MSUD in individuals 8 years and older.	RTF 130 ml	4.3 fl oz		
MSUD Gel <i>Vitaflo (N)</i>	Leucine-, isoleucine-, and valine-free drink or gel for the management of MSUD in children 1 - 10 years of age.	PWD 24 g	2.7 fl oz 81 kcal		
MSUD Express 15 <i>Vitaflo (N)</i>	Leucine-, isoleucine-, and valine-free protein substitute for the management of MSUD in individuals 8 years and older.	PWD 25 g	2.4 fl oz 74 kcal		
MSUD Express 20 <i>Vitaflo (N)</i>	Leucine-, isoleucine-, and valine-free protein substitute for the management of MSUD in individuals 8 years and older.	PWD 34 g	3.3 fl oz 99 kcal		
MSUD Lophlex LQ <i>Nutricia North America (N)</i>	An isoleucine-, leucine- and valine-free, ready-to-drink medical food containing amino acids, carbohydrates, vitamins, minerals and DHA, based on mixed fruit juices (from concentrate) with natural flavor; for the dietary management of proven maple syrup urine disease (MSUD) in individuals 4 years and older, including pregnant women and women of child-bearing age.	RTF 4.2 fl oz	4.2 fl oz		
MSUD Maxamum <i>Nutricia North America (N)</i>	Valine-, leucine-, and isoleucine-free medical food for the management of MSUD in individuals 8 years and older.	PWD 16 oz	46 fl oz 1385 kcal		
Neocate Infant DHA/ARA <i>Nutricia North America (E)</i>	An amino acid-based infant formula with DHA and ARA, for the management of cow milk and soy allergy, reflux or short bowel syndrome.	PWD 14 oz	96 fl oz 1932 kcal		
Neocate Junior WITHOUT Prebiotics <i>Nutricia North America (N)</i>	An amino acid-based medical food for children ages 1-10 with severe impairment of the gastrointestinal tract that does NOT contain prebiotics.	PWD 400 g	64 fl oz 1916 kcal	Unflavored	Standard mixing is 1 scoop with 1 oz of water

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Neocate Junior <i>Nutricia North America (N)</i>	A nutritionally complete, powdered amino acid-based medical food for children over the age of one with severe impairment of the gastrointestinal tract. Contains prebiotic fiber to help promote digestive health and extra vitamins and minerals especially helpful for children with GI-related malabsorption conditions.	PWD 400 g	63 fl oz 1888 kcal	Strawberry Unflavored Vanilla	Standard mixing is 1 scoop with 1 oz of water
			61 fl oz 1840 kcal	Chocolate	Standard mixing is 1 scoop with 1 oz of water
			60 fl oz 1804 kcal	Tropical	Standard mixing is 1 scoop with 1 oz of water
Neocate Nutra <i>Nutricia North America (N)</i>	Hypoallergenic, amino acid based semi-solid medical food for infants over 6 months with multiple food protein allergies or require an elemental diet.	PWD 14 oz	62 fl oz 1888 kcal		
Neocate Splash <i>Nutricia North America (N)</i>	A hypoallergenic, amino acid-based drink for children over the age of one.	RTF 237 ml	8 fl oz	Unflavored Grape Orange/Pineapple Tropical Fruit	
Neocate Syneo Infant <i>Nutricia North America (N)</i>	A hypoallergenic, amino acid-based nutritionally complete formula for infants. This product is appropriate for food allergies, including cow's milk, and related GI issues such as FPIES and EoE. Contains Syneo, a symbiotic made up of pre- and probiotics.	PWD 14.1 oz	95 fl oz 1900 kcal		
Nepro <i>Abbott (N)</i>	A supplement to help meet the needs of individuals on dialysis.	RTF 8 fl oz	8 fl oz	Mixed Berry Vanilla	
NovaSource <i>Nestle (N)</i>	A supplement for acute and chronic renal failure, electrolyte restriction and fluid restriction.	RTF 8 fl oz	8 fl oz		
Nutren 2.0 <i>Nestle (N)</i>	For oral use, short or long-term tube feeding for individuals with very high caloric requirements and/or a severe fluid restriction.	RTF 250ml	8.45 fl oz		
Nutren Junior <i>Nestle (N)</i>	A supplement for children ages 1-10 who are undernourished due to illness, injury, or failure to thrive.	RTF 250ml	8.45 fl oz	Vanilla	

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Nutren Junior Fiber <i>Nestle (N)</i>	A supplement for children ages 1-10 who are undernourished due to illness, injury, or failure to thrive who require extra fiber.	RTF 250ml	8.45 fl oz	Vanilla	
Nutren Pulmonary <i>Nestle (N)</i>	A high calorie, high protein supplement designed to reduce CO2 production in individuals with pulmonary disease.	RTF 250 ml	8.45 fl oz		
NutriHep <i>Nestle (N)</i>	A calorically dense, high calorie-to-nitrogen ratio supplement for individuals with hepatic disorders.	RTF 250 ml	8.45 fl oz		
OA 1 <i>Mead Johnson (E)</i>	Isoleucine-, methionine-, threonine- and valine-free, formula for infants and toddlers with PA or MMA.	PWD 16 oz	114 fl oz 2280 kcal		
OA 2 <i>Mead Johnson (N)</i>	Isoleucine-, methionine-, threonine- and valine-free, medical food for children and adults with PA or MMA.	PWD 16 oz	62 fl oz 1860 kcal		
Osmolite 1.0 <i>Abbott (N)</i>	For tube fed individuals with caloric needs of less than 2000 Cal per day or with increased protein requirements.	RTF 8 fl oz	8 fl oz		
Osmolite 1.2 <i>Abbott (N)</i>	For tube fed individuals requiring a high-protein, low-residue formula.	RTF 8 fl oz	8 fl oz		
Osmolite 1.5 <i>Abbott (N)</i>	For tube fed individuals requiring a low-residue formula with increased calorie/ protein needs, or volume intolerance	RTF 8 fl oz	8 fl oz	Vanilla	
Oxepa <i>Abbott (N)</i>	For tube fed individuals who are critically ill, mechanically ventilated, SIRS, ALI, or ARDS.	RTF 8 fl oz	8 fl oz		
PediaSure RETAIL <i>Abbott (N)</i>	A supplement for children ages 1-10 who are undernourished due to illness, injury, or failure to thrive.	RTF 6-pack of 8 fl oz	48 fl oz	ANY FLAVOR	

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
PediaSure CAP <i>Abbott (N)</i>	A supplement for children ages 1-10 who are undernourished due to illness, injury, or failure to thrive.	RTF 8 fl oz	8 fl oz	Banana Chocolate Strawberry Vanilla	
PediaSure 1.5 <i>Abbott (N)</i>	A calorically dense formula that provides 50% more calories and twice the protein of regular PediaSure. Specially designed to meet the energy requirements of pediatric patients who need more calories in less volume.	RTF 8 fl oz	8 fl oz	Vanilla	
PediaSure with Fiber RETAIL <i>Abbott (N)</i>	A supplement for children ages 1-10 who are undernourished due to illness, injury, or failure to thrive and need extra fiber.	RTF 8 fl oz	48 fl oz	ANY FLAVOR	
PediaSure with Fiber CAP <i>Abbott (N)</i>	A supplement for children ages 1-10 who are undernourished due to illness, injury, or failure to thrive and need extra fiber.	RTF 8 fl oz	8 fl oz	Vanilla	
PediaSure 1.5 with Fiber <i>Abbott (N)</i>	A calorically dense formula with fiber that provides 50% more calories and twice the protein of regular PediaSure. Specially designed to meet the energy requirements of pediatric patients who need more calories in less volume.	RTF 8 fl oz	8 fl oz	Vanilla	
PediaSure Enteral <i>Abbott (N)</i>	A milk-based, lactose free, complete tube feeding for children ages 1-10.	RTF 8 fl oz	8 fl oz	Vanilla	
PediaSure Enteral with Fiber <i>Abbott (N)</i>	A milk-based, lactose free, complete tube feeding for children ages 1-10 who need extra fiber.	RTF 8 fl oz	8 fl oz	Vanilla	
PediaSure Harvest <i>Abbott (N)</i>	A nutritionally complete, blended formula made with a variety of real food purees, that does not contain milk, gluten or lactose containing ingredients. Product is Kosher with Pareve ingredients and Halal.	RTF 8 fl oz	8 fl oz		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
PediaSure Peptide <i>Abbott (N)</i>	A nutritionally complete peptide-based formula for the nutritional needs of children ages 1-13 years with malabsorption, maldigestion, and other GI conditions where hydrolyzed protein is indicated.	RTF 8 fl oz	8 fl oz	Strawberry Unflavored Vanilla	
PediaSure Peptide 1.5 <i>Abbott (N)</i>	A calorically dense nutritionally complete peptide-based formula for the nutritional needs of children ages 1-13 years with malabsorption, maldigestion, and other GI conditions that require increase calories or fluid restriction.	RTF 8 fl oz	8 fl oz	Vanilla	
Peptamen <i>Nestle (N)</i>	A peptide based elemental medical food for the management of short-bowel syndrome, inflammatory bowel disease, malabsorption syndromes, pancreatic insufficiency and chronic diarrhea.	RTF 250 ml	8.45 fl oz		
Peptamen 1.5 <i>Nestle (N)</i>	For tube feeding of impaired GI function patients with increased caloric requirements and/or fluid restriction.	RTF 250 ml	8.45 fl oz	Unflavored Vanilla	
Peptamen AF <i>Nestle (N)</i>	High calorie, very high protein, hydrolyzed, elemental medical food for GI-compromised individuals.	RTF 250 ml	8.45 fl oz		
Peptamen Bariatric <i>Nestle (N)</i>	A complete peptide based elemental medical food for the acutely ill obese patient.	RTF 250 ml	8.45 fl oz		
Peptamen with Prebio¹ <i>Nestle (N)</i>	An elemental medical food for the management of chronic diarrhea, short-bowel syndrome, pancreatitis, HIV/AIDS, malabsorption, and cystic fibrosis.	RTF 250 ml	8.45 fl oz		
Peptamen with Prebio¹ 1.5 <i>Nestle (N)</i>	A complete calorically dense peptide-based formula with added soluble fiber.	RTF 250 ml	8.45 fl oz		
Peptamen Junior <i>Nestle (N)</i>	A complete or supplemental elemental diet for children ages 1 to 10 with impaired GI function.	RTF 250 ml	8.45 fl oz	Unflavored Vanilla	

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Peptamen Junior HP <i>Nestle (N)</i>	A nutritionally complete 1.2 kcal/mL high protein, high calorie formula made from hydrolyzed whey for critically ill pediatric patients unable to reach prescribed higher protein and energy needs, with malnutrition, inadequate oral intake, and/or requiring transitional feeding. Suitable for lactose intolerance but not Galactosemia or MPA.	RTF 250 ml	8.45 fl oz	Vanilla	
Peptamen Junior with Fiber <i>Nestle (N)</i>	A complete or supplemental elemental diet for children 1 to 10 with impaired GI function and requiring extra fiber.	RTF 250 ml	8.45 fl oz	Vanilla	
Peptamen Junior with Prebio¹ <i>Nestle (N)</i>	A complete peptide-based elemental formula with added prebio ¹ soluble fiber for the nutritional management of impaired GI function in children ages 1-13.	RTF 250 ml	8.45 fl oz	Vanilla	
Peptamen Junior 1.5 <i>Nestle (N)</i>	A calorically dense elemental diet for children ages 1 to 13 with impaired GI function.	RTF 250 ml	8.45 fl oz	Unflavored Vanilla	
Perative <i>Abbott Nutrition (N)</i>	For tube fed individuals with pressure ulcers, multiple fractures, wounds, burns, or surgery.	RTF 8 fl oz	8 fl oz		
Periflex Advance <i>Nutricia North America (N)</i>	Phenylalanine-free, medical food for the management of PKU in older children and adults.	PWD 14 oz	55 fl oz 1675 kcal	Orange	
			58 fl oz 1748 kcal	Unflavored	
Periflex Early Years <i>Nutricia North American (E)</i>	An amino acid based phenylalanine-free infant formula for the management of PKU.	PWD 14.1 oz	90 fl oz 1892 kcal		Standard mixing is 1 scoop with 1 oz of water
Periflex Junior PLUS <i>Nutricia North America (N)</i>	Phenylalanine free medical food for the management of PKU in toddlers and young children.	PWD 16 oz	51 fl oz 1540 kcal	Plain Orange Berry Vanilla	
Periflex LQ <i>Nutricia North America (N)</i>	A phenylalanine-free, ready-to-drink medical food for the dietary management of PKU in children and adults.	RTF 8.5 oz	8.5 fl oz 150 kcal	Berry Crème Orange Creme	

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
PFD Toddler <i>Mead Johnson (N)</i>	Protein-free and amino acid-free formula for infants and toddlers with amino acid metabolic disorders.	PWD 14.1 oz	70 fl oz 2120 kcal		
PFD 2 <i>Mead Johnson (N)</i>	Protein-free and amino acid-free medical food for children and adults with amino acid metabolic disorders.	PWD 16 oz	60 fl oz 1820 kcal		
Phenex-1 <i>Abbott Nutrition (E)</i>	Phenylalanine-free formula for infants and toddlers with PKU or hyperphenylalaninemia.	PWD 14.1 oz	96 fl oz 1920 kcal		
Phenex-2 <i>Abbott Nutrition (N)</i>	Phenylalanine-free medical food for children and adults with PKU or hyperphenylalaninemia.	PWD 14.1 oz	54 fl oz 1640 kcal	Unflavored Vanilla	
PhenylAde Essential Drink Mix <i>Nutricia North America (N)</i>	Phenylalanine-free medical food for individuals over the age of one. Contains flax and fiber.	PWD 16 oz	59 fl oz 1784 kcal	Orange Cream Chocolate Vanilla Strawberry Unflavored	
		PWD 40 g	5 fl oz 157 kcal	Chocolate Vanilla Orange Cream Strawberry Unflavored	
PhenylAde 40 Drink Mix <i>Nutricia North America (N)</i>	Phenylalanine-free medical food for children and adults with PKU, fortified with vitamins and minerals.	PWD 25 g	5 fl oz 83 kcal	Citrus	
PhenylAde 60 Drink Mix <i>Nutricia North America (N)</i>	High protein, phenylalanine-free medical food for children and adults with PKU.	PWD 16 oz	44 fl oz 1335 kcal		
PhenylAde Amino Acid Blend <i>Nutricia North America (N)</i>	A phenylalanine-free amino acid powder that can be added to food or beverages for individuals with PKU.	PWD 16 oz	48 fl oz 1466 kcal		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
PhenylAde GMP ULTRA <i>Nutricia North America (N)</i>	A powdered medical food, low in PHE, containing a balanced mix of glycomacropeptide (GMP), essential and non-essential amino acids, vitamins, minerals and trace elements for the dietary management of PKU for those over 3 years of age.	PWD 1.2 oz	6 fl oz 107 kcal	Vanilla	
			6 fl oz 98 kcal	Lemonade	
PhenylAde GMP Mix-Ins <i>Nutricia North America (N)</i>	A powder-based low-phenylalanine PKU formula for individuals over 1 year of age. The product is virtually tasteless and odorless, which allows mixing with water, flavored drinks or semi-solid foods, such as applesauce to create a spoon-able consistently.	PWD 200 g	89 fl oz 2668 kcal	Unflavored	
		PWD 12.5 g	1 fl oz 42 kcal		
PhenylAde GMP Ready <i>Nutricia North America (N)</i>	A neutral-flavored, ready-to-drink medical food, low in phenylalanine, containing a mix of glycomacropeptide (GMP), essential and non-essential amino acids, carbohydrate, fat (including DHA and EPA), vitamins, minerals and trace elements.	RTF 250 ml	8.45 fl oz 110 kcal	Plain	
PhenylAde MTE Amino Acid Blend <i>Nutricia North America (N)</i>	A phenylalanine-free, powdered medical food for the dietary management of PKU in children and adults	PWD 12.8 g	1.3 fl oz 40 kcal		
Phenyl-Free 1 <i>Mead Johnson (E)</i>	Phenylalanine-free formula for infants and toddlers with PKU.	PWD 16 oz	114 fl oz 2280 kcal		
Phenyl-Free 2 <i>Mead Johnson (N)</i>	Phenylalanine-free medical food for children and adults with PKU.	PWD 16 oz	62 fl oz 1860 kcal		
Phenyl-Free 2 HP <i>Mead Johnson (N)</i>	Phenylalanine-free medical food for children and adults with PKU who need additional protein.	PWD 16 oz	59 fl oz 1770 kcal		
Phlexy-10 Drink Mix <i>VitaFlo (N)</i>	Phenylalanine-free medical food for the management of PKU in individuals over age 1.	PWD 20 gram	3.5 fl oz 69 kcal		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
PKU Air 20 <i>Vitaflo (N)</i>	Phenylalanine-free protein substitute for dietary management of Phenylketonuria in individuals aged 3 years and older.	RTF 174 ml	5 fl oz 100 kcal		
PKU Cooler 10 <i>Vitaflo (N)</i>	Ready to feed drink for the management of PKU for individuals 3 years and older.	RTF 87 ml	2.9 fl oz		
PKU Cooler 15 <i>Vitaflo (N)</i>	Ready to feed drink for the management of PKU for individuals 8 years and older.	RTF 130 ml	4.3 fl oz		
PKU Cooler 20 <i>Vitaflo (N)</i>	Ready to feed drink for the management of PKU for individuals 8 years and older.	RTF 174 ml	5.8 fl oz		
PKU Gel <i>Vitaflo (N)</i>	Phenylalanine-free gel or drink for the management of PKU in children from 1 to 10 years of age.	PWD 24 g	2.5 fl oz 76 kcal		
PKU Express <i>Vitaflo (N)</i>	Phenylalanine-free protein substitute the management of PKU in individuals aged 8 years and older.	PWD 25 g	3 fl oz 74 kcal		
PKU Lophlex LQ <i>Nutricia North America (N)</i>	Phenylalanine-free ready-to-drink medical food for children 4 years of age and older.	RTF 4.2 fl oz	4.2 fl oz	Tropical Orange Mixed Berry	
PKU Sphere 15 <i>Vitaflo (N)</i>	Phenylalanine-low, GMP-based protein substitute for dietary management of Phenylketonuria in individuals age 4 and over.	PWD 0.27 g	4 fl oz 90 kcal	Red Berry Vanilla Chocolate	
PKU Sphere 20 <i>Vitaflo (N)</i>	Phenylalanine-low, GMP-based protein substitute for dietary management of Phenylketonuria in individuals age 4 and over.	PWD 35 g	4 fl oz 120 kcal	Red Berry Vanilla Chocolate	
Portagen <i>Mead Johnson (N)</i>	For children and adults with defects in the hydrolysis, absorption, and/or transport of fat.	PWD 14.4 oz	70 fl oz 2100 kcal		
Product 3232A <i>Mead Johnson (E)</i>	A protein hydrolysate formula base that is used with added carbohydrate. For infants and children with disaccharidase deficiencies and other carbohydrate metabolism disorders.	PWD 16 oz	113 fl oz 2270 kcal		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Promote <i>Abbott Nutrition (N)</i>	A complete, very-high-protein supplement or tube feeding for individuals who need a higher proportion of calories from protein.	RTF 8 fl oz	8 fl oz		
Promote with Fiber <i>Abbott Nutrition (N)</i>	A complete, very-high-protein supplement or tube feeding for individuals who need a higher proportion of calories from protein and require extra fiber.	RTF 8 fl oz	8 fl oz		
Pro-Phree <i>Abbott Nutrition (E)</i>	For infants and toddlers who require extra calories, minerals, and vitamins and/or protein restriction.	PWD 14.1 oz	102 fl oz 2040 kcal		
Propimex-1 <i>Abbott Nutrition (E)</i>	Methionine- and valine-free formula for infants and toddlers with propionic or Methylmalonic Academia.	PWD 14.1 oz	96 fl oz 1920 kcal		
Propimex-2 <i>Abbott Nutrition (N)</i>	Methionine- and valine-free medical food for children and adults with propionic or Methylmalonic Academia.	PWD 14.1 oz	54 fl oz 1640 kcal		
ProViMin <i>Abbott Nutrition (E)</i>	For individuals who require a formula modified in carbohydrate, fat, and/or increased protein.	PWD 5.3 oz	23 fl oz 469 kcal		
PurAmino <i>Mead Johnson (E)</i>	Hypoallergenic, amino acid based formula for infants and toddlers with severe cow's milk protein and/or other food protein allergies.	PWD 14.1 oz	98 fl oz 1960 kcal		
PurAmino Jr. <i>Mead Johnson (N)</i>	Hypoallergenic, amino acid based formula with DHA for toddlers over age 1 with severe cow's milk and/or other food allergies.	PWD 14.1 oz	66 fl oz 1980 kcal	Unflavored Vanilla	Mix 1 scoop with 1 oz water
Renalcal <i>Nestle (N)</i>	Calorically dense, protein restricted, minimalized electrolyte formula for renal failure. For short-term tube feeding or oral use, not intended for sole source feeding.	RTF 250 ml	8.45 fl oz	Unflavored	
Renastart <i>Vitaflo (N)</i>	Intended for the dietary management of renal failure in children over age one.	PWD 400 g	65 fl oz 1976 kcal		Mix 1 scoop with 1 oz of water

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Replete Fiber <i>Nestle (N)</i>	A very high protein supplement to support bowel management, healing and protein repletion.	RTF 250 ml	8.45 fl oz		
Resource 2.0 <i>Nestle (N)</i>	For individuals with fluid restriction or wound healing needs.	RTF 8 fl oz	8 fl oz	Vanilla	
Ross Carbohydrate Free (RCF) <i>Abbott Nutrition (E)</i>	For the management of individuals unable to tolerate the type or amount of carbohydrate in milk or conventional infant formulas; or seizure disorders requiring a ketogenic diet.	CONC 13 fl oz	25 fl oz 311 kcal		
Similac Advance <i>Abbott Nutrition (I)</i>	For infants who require a milk based formula. Includes DHA, ARA and prebiotics.	PWD 12.4 oz	90 fl oz 1800 kcal		
		CONC 13 fl oz	26 fl oz 520 kcal		
		RTF 32 fl oz	32 fl oz		
Similac Advance 24 <i>Abbott Nutrition (I)</i>	For infants who require 24 kcal/oz milk-based formula. Includes DHA, ARA and prebiotics.	RTF 2 fl oz	2 fl oz		REQUIRES SWO APPROVAL
Similac Alimentum <i>Abbott Nutrition (E)</i>	Hypoallergenic formula for infants with severe food allergies, sensitivity to intact protein, protein maldigestion, or fat malabsorption.	PWD 12.1 oz.	87 fl. oz 1740 kcal		
		RTF 32 fl. oz.	32 fl oz		
Similac Neosure <i>Abbott Nutrition (E)</i>	A 22-calorie formula for premature infants.	PWD 13.1 oz	87 fl oz 1914 kcal		
		RTF 2 fl oz	2 fl oz		
		RTF 32 fl oz	32 fl oz		
Similac Human Milk Fortifier <i>Abbott Nutrition (E)</i>	For premature and low-birth-weight infants as a nutritional supplement to add to preterm human milk.	PWD 0.90 g	1 fl oz		Only available for partially BF infants until 3 months of age

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Similac Human Milk Fortifier Hydrolyzed Protein Concentrated Liquid <i>Abbott Nutrition (E)</i>	For premature and low-birth-weight infants as a nutritional supplement to add to preterm human milk. Extensively hydrolyzed protein for easier digestions and absorption.	CONC 5 ml	1 fl oz		Only available for partially BF infants until 3 months of age
Similac Human Milk Fortifier Concentrated Liquid <i>Abbott Nutrition (E)</i>	For premature and low-birth-weight infants as a nutritional supplement to add to preterm human milk.	CONC 5 ml	1 fl oz		Only available for partially BF infants until 3 months of age
Similac Sensitive <i>Abbott Nutrition (I)</i>	Milk-based infant formula with reduced lactose for infants with lactose sensitivity or intolerance.	PWD 12 oz	90 fl oz. 1710 kcal		
		RTF 32 fl oz	32 fl oz		
Similac Spit-Up <i>Abbott Nutrition (I)</i>	Milk-based infant formula with reduced lactose and added rice starch to help reduce frequent spit-up.	PWD 12.3 oz	90 fl oz 1800 kcal		
Similac Soy Isomil <i>Abbott Nutrition (I)</i>	For infants who require soy based formula. Includes DHA and ARA.	PWD 12.4 oz	90 fl oz 1800 kcal		
		CONC 13 fl oz	26 fl oz 520 kcal		
		RTF 32 fl oz	32 fl oz		
Similac PM 60/40 <i>Abbott Nutrition (E)</i>	For infants who would benefit from lowered mineral intake, including those with impaired renal function.	PWD 14.1 oz	102 fl oz 2040 kcal		
Similac Special Care 20 <i>Abbott Nutrition (E)</i>	A 20 Cal/fl oz iron-fortified premature infant formula for low-birth-weight infants.	RTF 2 fl oz	2 fl oz		Only available until 3 months of age For infants weighing less than 8 lbs.
Similac Special Care 24 <i>Abbott Nutrition (E)</i>	A 24 Cal/fl oz iron-fortified premature infant formula for low-birth-weight infants.	RTF 2 fl oz	2 fl oz		Only available until 3 months of age For infants weighing less than 8 lbs.

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Similac Special Care 30 <i>Abbott Nutrition (E)</i>	A 30cal/oz infant formula for premature or low-birth weight infants.	RTF 2 fl oz	2 fl oz		Only available for partially BF infants until 3 months of age
Similac Total Comfort <i>Abbott Nutrition (I)</i>	A milk-based infant formula that contains partially hydrolyzed protein and reduced lactose for easier digestion.	PWD 12 oz	90 fl oz 1710 kcal		
SOD Anamix Early Years <i>Nutricia North America (N)</i>	For the dietary management of isovalericacidemia in individuals over age 1.	PWD 14.1 oz	90 fl oz 1892 kcal		
Suplena <i>Abbott Nutrition (N)</i>	A low-protein medical food for individuals with reduced kidney function but not receiving dialysis.	RTF 8 fl oz	8 fl oz	Vanilla	
Tolerex <i>Nestle Nutrition (N)</i>	An elemental tube feeding for individuals with impaired digestion and absorption.	PWD 2.82 oz	10 fl oz 300 kcal		
TwoCal HN <i>Abbott Nutrition (N)</i>	A high-calorie, high protein medical food for stressed individuals.	RTF 8 fl oz	8 fl oz		
TYR Anamix Early Years <i>Nutricia North America (N)</i>	An amino acid based formula indicated for the dietary management of Tyrosinemia	PWD 14.1 oz	90 fl oz 1892 kcal		
TYR Anamix Next <i>Nutricia North America (N)</i>	A phenylalanine- and tyrosine-free mild-flavored medical food for the dietary management of individuals over the age of one with proven Tyrosinemia.	PWD 400 g	47 fl oz 1540 kcal		
TYR Express 15 <i>Vitaflo (N)</i>	Tyrosine- and phenylalanine-free protein substitute for the management of Tyrosinemia in individuals aged 8 years and older.	PWD 25 g	3 fl oz 74 kcal		
TYR Express 20 <i>Vitaflo (N)</i>	Tyrosine- and phenylalanine-free protein substitute for the management of Tyrosinemia in individuals aged 8 years and older.	PWD 25 g	3.3 fl oz 99 kcal		
TYR Cooler 15 <i>Vitaflo (N)</i>	Tyrosine- and phenylalanine-free protein substitute for use in the dietary management of Tyrosinemia in individuals 8 years & older.	RTF 130 ml	4.3 fl oz		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INTENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
TYR Gel <i>VitaFlo (N)</i>	Tyrosine- and phenylalanine-free gel for Tyrosinemia in children from 1 to 10 years.	PWD 20 g	1 fl oz		
TYR Lophlex GMP Mix-Ins <i>Nutricia North America (N)</i>	An unflavored, powdered medical food, low in phenylalanine and tyrosine, containing a mix of GMP (glycomacropeptide), essential and non-essential amino acids with small amounts of carbohydrates and some minerals.	PWD 12.5 g	1 fl oz 40 kcal		
TYR Lophlex LQ <i>Nutricia North America (N)</i>	A tyrosine- and phenylalanine-free, ready-to-drink medical food with amino acids, carbohydrates, vitamins, minerals and DHA, based on mixed fruit juices (from concentrate) with natural flavor; for the dietary management of proven Tyrosinemia in individuals 4 years and older.	RTF 4.2 fl oz	4.2 fl oz		
Tyrex-1 <i>Abbott Nutrition (E)</i>	Phenylalanine- and tyrosine-free formula for infants & toddlers with Tyrosinemia type I, II or III.	PWD 14.1 oz	96 fl oz 1920 kcal		
Tyrex-2 <i>Abbott Nutrition (N)</i>	Phenylalanine- and tyrosine-free medical food for children and adults with Tyrosinemia type I, II or III.	PWD 14.1 oz	54 fl oz 1640 kcal		
Tyros 1 <i>Mead Johnson (E)</i>	Phenylalanine- and tyrosine-free, formula for infants and toddlers with Tyrosinemia.	PWD 16 oz	114 fl oz 2280 kcal		
Tyros 2 <i>Mead Johnson (N)</i>	Phenylalanine- and tyrosine-free, medical food for children and adults with Tyrosinemia.	PWD 16 oz	62 fl oz 1860 kcal		
UCD Anamix Junior <i>Nutricia (N)</i>	UCD Anamix Junior contains essential micronutrients to compensate for low intake from natural food and has an amino acid profile rich in branch chain amino acids for efficient and optimal protein synthesis for children with UCD.	PWD 400 g	51 fl oz 1540 kcal	Unflavored Vanilla	
Valine Amino Acid Supplement <i>VitaFlo (N)</i>	To be used in conjunction with a protein substitute for MSUD.	PWD 4 g	1 fl oz		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
Vital HN <i>Abbott Nutrition (N)</i>	A partially hydrolyzed, low-residue medical food for individuals with chronically impaired GI function.	PWD 2.79 oz	10 fl oz 300 kcal		
Vivonex Pediatric <i>Nestle (N)</i>	An elemental formula for children ages 1-10 with short bowel syndrome, malabsorption, Crohn's disease, GI fistula or intractable diarrhea.	PWD 1.7 oz	8.45 fl oz		
Vivonex Plus <i>Nestle (N)</i>	An elemental formula for individuals with bowel resection, malabsorption syndrome, and Crohn's disease.	PWD 2.8 oz	10 fl oz		
Vivonex T.E.N. <i>Nestle (N)</i>	An elemental formula for individuals with bowel resection, malabsorption, Crohn's disease, and pancreatic disorders.	PWD 2.84 oz	10 fl oz		
WND 1 <i>Mead Johnson (E)</i>	A nonessential amino acid-free formula for infants and toddlers with urea cycle disorders.	PWD 16 oz	113 fl oz 2270 kcal		
WND 2 <i>Mead Johnson (N)</i>	A nonessential amino acid-free medical food for children and adults with urea cycle disorders.	PWD 16 oz	62 fl oz 1860 kcal		
XLeu Maxamum <i>Nutricia North America (N)</i>	Leucine-free medical food for the management of Isovaleric Acidemia and other disorders of leucine metabolism in children over 9 years and adults.	PWD 16 oz	46 fl oz 1385 kcal		
XMet Maxamum <i>Nutricia North America (N)</i>	Methionine-free medical food for the management of vitamin B ₆ non-responsive homocystinuria or hypermethioninaemia in children over 9 years and adults.	PWD 16 oz	46 fl oz 1385 kcal	Orange	
XMTVI Maxamum <i>Nutricia North America (N)</i>	Methionine-, threonine-, valine-free and isoleucine-low, medical food for the management of vitamin B ₁₂ non-responsive Methylmalonic Acidemia or Propionic Acidemia in children over 8 years and adults.	PWD 16 oz	46 fl oz 1385 kcal		

Approved Formula List October 2020

VIRGINIA WIC ELIGIBLE FORMULAS AND NUTRITIONALS

PRODUCT	INDENDED USE	CONTAINER	OUNCES CALORIES	FLAVORS	SPECIAL INSTRUCTIONS
XPhe Maxamum <i>Nutricia North America (N)</i>	Phenylalanine-free medical food for the management of phenylketonuria in children 9 years and older and adults.	PWD 16 oz	46 fl oz 1385 kcal	Orange Unflavored	
XPhe Maxamum Drink <i>Nutricia North America (N)</i>	Phenylalanine-free amino acid based medical food for the management of phenylketonuria. For ages 5 and older.	RTF 250 ml	8.45 fl oz		
XPhe, XTyr Analog <i>Nutricia North America (E)</i>	Phenylalanine- and tyrosine-free infant formula for management of Tyrosinemia.	PWD 14 oz	63 fl oz 1900 kcal		